



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Blue Ridge Regional Office

www.deq.virginia.gov

Doug W. Domenech
Secretary of Natural Resources

Lynchburg Office
7705 Timberlake Road
Lynchburg, Virginia 24502
(434) 582-5120
Fax (434) 582-5125

David K. Paylor
Director

Robert J. Weld
Regional Director

Roanoke Office
3019 Peters Creek Road
Roanoke, Virginia 24019
(540) 562-6700
Fax (540) 562-6725

JUN 18 2012

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

Mr. H.M. Scanland
General Manager
Mountain Lake Hotel
115 Hotel Circle
Pembroke, VA 24136

Re: **Reissuance of VPA Permit No. VPA02058
Mountain Lake Hotel**

Dear Mr. Scanland:

Your VPA permit is enclosed. This permit supersedes the previous VPA Permit VA02058 issued to this facility. Monitoring report forms are included with the permit. Please make additional copies of the form for future use. The first monitoring report required by this permit for monthly monitored parameters is due on **August 10, 2012** for the month of July 2012. Refer to Attachment B for a schedule for submission of quarterly, annual, and 1/4 years data reports. If you still have monitoring data to report as required by the previous permit, please submit it as an attachment to the first monitoring report required by this permit.

Submittals required by the referenced permit shall be sent to:

Department of Environmental Quality
Blue Ridge Regional Office
3019 Peters Creek Road
Roanoke, VA 24019

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have thirty days from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period.

Permit No. VPA02058
Mountain Lake Hotel
Page 2 of 2

Alternatively, any owner under Section 62.1 - 44.16, 62.1 - 44.17, and 62.1 - 44.19 of the State Water Control Law aggrieved by any action of the State Water Control Board taken without a formal hearing, or by inaction of the Board, may demand in writing a formal hearing of such owner's grievance, provided a petition requesting such hearing is filed with the Board. Said petition must meet the requirements set forth in 9 VAC 25-230-130(B) of the Board's Procedural Rule 1. In cases involving actions of the Board, such petition must be filed with thirty days after notice of such action is mailed to such owner by certified mail.

If you have questions about the permit, please call Becky L. France at (540) 562-6793 or becky.france@deq.virginia.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Robert J. Weld", with a stylized flourish at the end.

Robert J. Weld
Regional Office Director

Enclosures: Permit No. VPA02058, Monitoring Reports

cc: EPA - Region III-3WP12